

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S49	18	((packet near control near function) or PCF) with (subscriber or station or phone or telephone or unit) with dormant near state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:11
S50	7	resource near dormant near state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:11
S51	340	((simple near IP) or (mobile near IP) or (proxy near mobile near IP)) and (idle or dormant) near state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:11
S52	820	((simple near IP) or (mobile near IP) or (proxy near mobile near IP)) and (idle or dormant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:11
S53	3	reduc\$3 near resource near dormant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:11
S54	141	((simple near IP) or (mobile near IP) or (proxy near mobile near IP)) and (idle or dormant) and ((packet near control near function) or PCF) with (subscriber or station or phone or telephone or unit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:12

S55	717	((packet near control near function) or PCF) with ((packet data serv\$3 near node) or PDSN) with (tunnel or link or connect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:12
S56	752	((packet near control near function) or PCF) with ((packet data serv\$3 near node) or PDSN) with (tunnel\$4 or link \$3 or connect\$3 or path\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:12
S57	147	((packet near control near function) or PCF) with ((packet data serv\$3 near node) or PDSN) with (tunnel\$4 or link \$3 or connect\$3 or path\$3) same (idle or dormant)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:12
S58	16	((packet near control near function) or PCF) with ((packet data serv\$3 near node) or PDSN) with (reestablish\$3 or reconnect\$3) with (tunnel\$4 or link \$3 or connect\$3 or path\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:12
S59	58	370/328.ccls. and ((packet near control near function) or PCF) with ((packet data serv\$3 near node) or PDSN) with (tunnel\$4 or link \$3 or connect\$3 or path\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:12

S60	4	pdsn with session near context near information	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:12
S61	28	((packet near control near function) or PCF) with ((packet data serv\$3 near node) or PDSN) with (reestablish\$3 or reconnect\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:13
S62	11	((packet data serv \$3 near node) or PDSN) near4 (reestablish\$3 or reconnect\$3) near4 PPP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:13
S63	11	((packet data serv \$3 near node) or PDSN) near4 (reestablish\$3 or reconnect\$3 or reinitiat\$3) near4 PPP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:13
S64	3	((packet near control near function) or PCF) with (reestablish \$3 or reconnect\$3 or reinitiat\$3) with PPP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:13
S65	44	((packet data serv \$3 near node) or PDSN) with (reestablish\$3 or reconnect\$3 or reinitiat\$3) with PPP	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:13
S66	214	((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station) with dormant	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:13

S67	313	((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station) with (dormant or idle)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:14
S68	118	370/328.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:14
S69	80	370/329.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:14
S70	36	370/389.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:14
S71	22	370/392.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:14

S72	4	370/351.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:14
S73	11	370/395.52.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:14
S74	78	370/335.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:15
S75	63	370/342.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:15
S76	1	A11 near reconnection near request\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:15

S77	14	370/318.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:15
S78	3	370/431.ccls. and ((packet near control near function) or PCF) and ((packet data serv\$3 near node) or PDSN) and mobile near (subscriber or node or station)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:15
S79	159	((packet near control near function) or PCF). clm. with ((packet data serv\$3 near node) or PDSN). clm. and mobile near (subscriber or node or station). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:15
S80	83	((packet near control near function) or PCF). clm. with ((packet data serv\$3 near node) or PDSN). clm. with mobile near (subscriber or node or station). clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:15
S81	1	A11 near reconnect\$3 near request\$3.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:16

S82	4	((packet near control near function) or PCF). clm. with ((packet data serv\$3 near node) or PDSN). clm. with (reestablish\$3 or reconnect\$3 or reinitiat\$3).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:16
S83	1	reduc\$3 near resource near dormant.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:16
S84	3	resource near dormant near state.clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/03/31 19:16
S85	3141	dormant near state	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 17:55
S86	2	dormant near state and release near tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 17:56
S87	3	dormant near state and releas\$3 near tunnel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 17:56
S88	253	A11 near4 message	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 17:58
S89	6	PCF with receiv\$3 with PSDN with packet	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:15

S92	3658	(dormant near (mode or state)) or (idle near (mode or state)) and PSDN with PCF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:18
S93	10	tunnel with reconnect\$3 and (dormant near (mode or state)) or (idle near (mode or state)) and PSDN with PCF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:18
S94	2	370/328.ccls. and ((dormant near (mode or state)) or (idle near (mode or state))) and PSDN with PCF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:22
S95	1	370/329.ccls. and ((dormant near (mode or state)) or (idle near (mode or state))) and PSDN with PCF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:22
S96	0	370/392.ccls. and ((dormant near (mode or state)) or (idle near (mode or state))) and PSDN with PCF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:22
S97	0	370/351.ccls. and ((dormant near (mode or state)) or (idle near (mode or state))) and PSDN with PCF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:22
S98	0	370/400.ccls. and ((dormant near (mode or state)) or (idle near (mode or state))) and PSDN with PCF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:23

S99	3	370/335.ccls. and ((dormant near (mode or state)) or (idle near (mode or state))) and PSDN with PCF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:23
S100	23	cdma and ((dormant near (mode or state)) or (idle near (mode or state))) and PSDN with PCF	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/10 18:23

4/ 16/ 2008 3:21:35 PM

C:\Documents and Settings\broberts\My Documents\EAST\Workspaces\10759654a.
wsp